








CORRECTION

Open Access



Correction to: Biocompatible natural deep eutectic solvent-based extraction and cellulolytic enzyme-mediated transformation of *Pueraria mirifica* isoflavones: a sustainable approach for increasing health-bioactive constituents

Fonthip Makkliang^{1†} , Boondaree Siriwarin^{2†} , Gorawit Yusakul^{3,4*} , Suppalak Phaisan³ , Attapon Sakdamas³ , Natthapon Chuphol⁵, Waraporn Putalun⁶  and Seiichi Sakamoto⁷ 

Correction to: *Bioresour Bioprocess* (2021) 8:76

<https://doi.org/10.1186/s40643-021-00428-9>

In the original publication of the article (Makkliang et al. 2020) the reference “Phaisan et al. 2020” was incorrect and should have been mentioned as “Yusakul et al. 2020”.

The corrected reference is given in this Correction article.

Yusakul G, Juengsanguanpornasuk W, Sritularak B, Phaisan S, Juengwattanatrakul T, Putalun W (2020) (+)-7-*O*-Methylisomiroestrol, a new chromene phytoestrogen from the *Pueraria candollei* var. *mirifica* root. *Nat Prod Res.* <https://doi.org/10.1080/14786419.2020.1727473>

The original article has been corrected.

Author details

¹School of Languages and General Education, Walailak University, Nakhon Si Thammarat, Thailand. ²Faculty of Pharmaceutical Sciences, Huachiew Chalermprakiet University, Samut Prakan, Thailand. ³School of Pharmacy, Walailak University, Nakhon Si Thammarat 80160, Thailand. ⁴Biomass and Oil Palm Center of Excellence, Walailak University, Nakhon Si Thammarat, Thailand. ⁵Faculty of Pharmaceutical Sciences, Prince of Songkla University, Songkhla, Thailand. ⁶Faculty of Pharmaceutical Sciences, Khon Kaen University, Khon Kaen, Thailand. ⁷Graduate School of Pharmaceutical Sciences, Kyushu University, Higashi-ku, Fukuoka, Japan.

Published online: 02 September 2021

Reference

Makkliang F, Siriwarin B, Yusakul G, Phaisan S, Sakdamas A, Chuphol N, Putalun W, Sakamoto S (2021) Biocompatible natural deep eutectic solvent-based extraction and cellulolytic enzyme-mediated transformation of *Pueraria mirifica* isoflavones: a sustainable approach for increasing health-bioactive constituents. *Bioresour Bioprocess.* 8:76. <https://doi.org/10.1186/s40643-021-00428-9>

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1186/s40643-021-00428-9>.

*Correspondence: gorawit.yu@mail.wu.ac.th; gorawit.yu@wu.ac.th

[†]Fonthip Makkliang and Boondaree Siriwarin contributed equally to this work

³ School of Pharmacy, Walailak University, Nakhon Si Thammarat 80160, Thailand

Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.